

RECEIVED  
CENTRAL FAX CENTER

JUL 06 2004

TELECOPIER TRANSMISSION  
TO THE UNITED STATES PATENT AND TRADEMARK OFFICE

(703) 872-9306

OFFICIAL

TO: EXAMINER Anne V.N. Lai  
EXAMINER'S TELEPHONE NUMBER 703-305-7925  
ART UNIT 2636  
SERIAL NO. 10/043,382

FROM: Edward W. GoodmanREGISTRATION NO. 28,613

PHILIPS INTELLECTUAL PROPERTY & STANDARDS  
P.O. BOX 3001  
BRIARCLIFF MANOR, NY 10510-8001  
TELEPHONE: 914-333-9611  
FACSIMILE: 914-332-0615

Enclosed: R116 Amendment + Cover

I certify that this document consisting of 15 pages (including this cover sheet) is being transmitted via telecopier to the United States Patent and Trademark Office at the telephone number set forth above on July 6, \_\_\_\_\_, 2004.

  
Edward W. Goodman

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

SRINIVAS GUTTA ET AL.

PHUS 010532

Serial No.: 10/043,382

Group Art Unit: 2636

Filed: October 26, 2001

Examiner: A.V.N. Lai

Title: ADAPTIVE ALARM SYSTEM

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Enclosed is an amendment in the above-identified application.


☐ No additional fee is required.

☒ The fee has been calculated as shown below.

CLAIMS AS AMENDED					
	Claims remaining after amendment	Highest number previously paid for	Number extra	Rate	Additional Fee
Total Claims	21 Minus	21 <sup>1</sup> =	0	X \$18 =	\$
Independent Claims	7 Minus	3 <sup>2</sup> =	4	X \$86 =	\$344.00
Multiple Dependent Claims, if any. If not previously paid, \$290.					\$
Total Additional fee for this amendment				=	\$344.00

<sup>1</sup>If less than 20, enter 20. <sup>2</sup>If less than 3, enter 3.

Please charge any fees which may be required, except the issue fee, or credit any overpayment to Deposit Account No. 14-1270.

  
Edward W. Goodman, Reg. 28,613  
914-333-9611

RECEIVED  
CENTRAL FAX CENTER

JUL 06 2004

OFFICIAL

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

SRINIVAS GUTTA ET AL.

PHUS 010532

SERIAL NO.: 10/043,382

GROUP ART UNIT: 2636

FILED: October 26, 2001

EXAMINER: A.V.N. Lai

ADAPTIVE ALARM SYSTEM

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

AMENDMENT UNDER 37 C.F.R. 1.116

In response to the Office Action mailed June 16, 2004,  
please amend the above-identified application as follows:

S:\GO\PT06GOA0.GOR

1